# Product data sheet

Specifications



## Modular base, Mureva PK, 1 openings 103x360, (W)105mm x (H)350mm x (D)70mm

83921

## Main

| | |
|---|---|
| **Range** | Mureva |
| **Product name** | Mureva Enclosure |
| **Product or component type** | Enclosure |
| **enclosure type** | Modular base |

## Complementary

| | |
|---|---|
| **Mounting mode** | Surface mounted |
| **Number of openings of interface** | 1 |
| **cable entry** | Fair lead<br>Knock-out |
| **Material** | Self-extinguishing polymer: housing |
| **Net weight** | 0.567 kg |
| **Base dimension** | 103 x 225 mm |
| **Height** | 350 mm |
| **Width** | 105 mm |
| **Depth** | 70 mm |
| **Colour** | Grey (RAL 7035) |

## Environment

| | |
|---|---|
| **Standards** | IEC 60695-2-1<br>EN 62262<br>EN 60439<br>IEC 60529 |
| **IP degree of protection** | IP65 conforming to IEC 60529 |
| **IK degree of protection** | IK09 conforming to EN 62262 |
| **Fire resistance** | 650 °C conforming to IEC 60695-2-1 |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 11.300 cm |
| **Package 1 Width** | 10.800 cm |
| **Package 1 Length** | 37.000 cm |
| **Package 1 Weight** | 490.000 g |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Unit Type of Package 2** | CAR |
| **Number of Units in Package 2** | 6 |
| **Package 2 Height** | 39.300 cm |
| **Package 2 Width** | 35.900 cm |
| **Package 2 Length** | 24.300 cm |
| **Package 2 Weight** | 3.345 kg |
| **Unit Type of Package 3** | P12 |
| **Number of Units in Package 3** | 132 |
| **Package 3 Height** | 120.000 cm |
| **Package 3 Width** | 80.000 cm |
| **Package 3 Length** | 77.000 cm |
| **Package 3 Weight** | 91.000 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **4 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **3 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0.1 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **1 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |
| California proposition 65 | **WARNING: This product can expose you to chemicals including: DINP, which is known to the State of California to cause cancer, and DIDP, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov** |
| OECD PFAS Regulation | **No OECD PFAS Chemicals Present** |
| Halogen-free status | **Halogen free plastic parts product** |
| PVC free | **Yes** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **15** |
| End of life manual availability | **No need of specific recycling operations** |
| Take-back | **No** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |