Product data sheet

Specifications



Modular base, Mureva PK, 2 openings 220x360, (W)210mm x (H)350mm x (D)70mm

83922

Main

Range	Mureva
Product name	Mureva Enclosure
Product or component type	Enclosure
enclosure type	Modular base

Complementary

Mounting mode	Surface mounted
Number of openings of interface	2
cable entry	Knock-out Fair lead
Material	Self-extinguishing polymer: housing
Net weight	1.167 kg
Base dimension	103 x 225 mm
Height	350 mm
Width	210 mm
Depth	70 mm
Colour	Grey (RAL 7035)

Environment

Standards	IEC 60529 EN 62262 EN 60439 IEC 60695-2-1
IP degree of protection	IP65 conforming to IEC 60529
IK degree of protection	IK09 conforming to EN 62262
Fire resistance	650 °C conforming to IEC 60695-2-1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.500 cm
Package 1 Width	36.000 cm
Package 1 Length	22.200 cm
Package 1 Weight	1.032 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	BB1
Number of Units in Package 2	3
Package 2 Height	35.500 cm
Package 2 Width	24.000 cm
Package 2 Length	39.000 cm
Package 2 Weight	3.796 kg
Unit Type of Package 3	P12
Number of Units in Package 3	90
Package 3 Height	80.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	125.880 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**9 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**6 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.1 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**3 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
OECD PFAS Regulation	**No OECD PFAS Chemicals Present**
Halogen-free status	**Halogen free plastic parts product**

Use Again

Repack and remanufacture

Recyclability potential, in %	**15**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**