Product data sheet

Specifications

Blanking plate 24 modules length 432mm

NSYATP24DTM

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Blanking cover
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT CRN
Application	Modular distribution application Multi-purpose
Mounting location	On cut-out front panels
Device composition	1 strip
Total number of 18 mm modules	24

Complementary

Quantity per set	Set of 10
Material	PVC (polyvinyl chloride)
Colour	Grey (RAL 7035)
Fixing mode	Clipped
Length	432 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.000 cm
Package 1 Width	5.000 cm
Package 1 Length	48.000 cm
Package 1 Weight	61.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	7.500 cm
Package 2 Width	12.500 cm
Package 2 Length	48.000 cm
Package 2 Weight	618.000 g
Unit Type of Package 3	P12
Number of Units in Package 3	280

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	40.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	12.360 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	Yes

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No