Product data sheet

Specifications



Kit for heavy load. Kit composed with 2 brackets. Maximum load 400 kg

NSYAEFPFS3DW100

Main

Range	PanelSeT
Accessory / separate part category	Fixing accessory
Product or component type	Wall fixing support
Device application	Multi-purpose
Enclosure nominal dimensions	- H: 800 mm W: 1000 mm D: 300 mm - H: 1000 mm W: 1000 mm D: 300 mm - H: 1200 mm W: 1000 mm D: 300 mm - H: 1200 mm W: 1000 mm D: 400 mm - H: 1400 mm W: 1000 mm D: 400 mm
Mounting location	Top and bottom, on rear of the enclosure
Range compatibility	PanelSeT
Device composition	fixing screws 2 lug 2 pre-mounted sealing gasket
Quantity per set	Set of 1

Complementary

Material	Zinc coated steel
Fixing mode	Screwed - screw type M8 - inside location
Permanent permissible load	350 kg
Height	Fixing centers: 47 mm
Width	1000 mm
Depth	Wall-enclosure separation : 7.5 mm
Net weight	3.262 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	8.000 cm
Package 1 Length	101.000 cm
Package 1 Weight	3.120 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	29.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	37.500 cm
Package 2 Length	120.000 cm
Package 2 Weight	31.200 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No