Product data sheet

Specifications



Blanking plug for cable entry grommet Multi-CS, for cables diameters 12-22

NSYCEJDL0

Main

Range	PanelSeT
Product or component type	Blanking plug
Accessory / separate part category	Cable management accessory
Device application	Multi-purpose
Quantity per set	Set of 4

Complementary

Material	TPE (thermoplastic elastomer)
Cable entry number	1 x 12…22 mm
Net weight	0.014 kg

Environment

IP degree of protection	IP65 conforming to IEC 60529
Flame retardance	V0 conforming to UL 94
Ambient air temperature for operation	-30…100 °C
resistance to chemical agents	Good resistance to mineral oils and greases Good resistant to alcohols Good resistance to weak acids and bases Good resistance to fuels

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	3.000 cm
Package 1 Length	3.000 cm
Package 1 Weight	11.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	3.000 cm
Package 2 Width	9.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	44.000 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 3	CAR
Number of Units in Package 3	80
Package 3 Height	20.000 cm
Package 3 Width	20.000 cm
Package 3 Length	30.000 cm
Package 3 Weight	1.032 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	73e923a6-870d-4d0d-9a27-5e8c9bbeb14d
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No