# Product data sheet

Specifications



## Cable entry grommets for cable entries Multi-CS, for cables diameters 20-21 mm

NSYCEJDL20

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Product or component type** | Grommet |
| **Accessory / separate part category** | Cable management accessory |
| **Device application** | Multi-purpose |
| **Quantity per set** | Set of 4 |

## Complementary

| | |
|---|---|
| **Material** | TPE (thermoplastic elastomer) |
| **Cable entry number** | 1 x 20…21 mm |
| **Net weight** | 0.006 kg |

## Environment

| | |
|---|---|
| **IP degree of protection** | IP65 conforming to IEC 60529 |
| **Flame retardance** | V0 conforming to UL 94 |
| **Ambient air temperature for operation** | -30…100 °C |
| **resistance to chemical agents** | Good resistant to alcohols<br>Good resistance to mineral oils and greases<br>Good resistance to weak acids and bases<br>Good resistance to fuels |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 3.000 cm |
| **Package 1 Width** | 9.000 cm |
| **Package 1 Length** | 3.700 cm |
| **Package 1 Weight** | 6.000 g |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 4 |
| **Package 2 Height** | 3.000 cm |
| **Package 2 Width** | 9.000 cm |
| **Package 2 Length** | 15.000 cm |
| **Package 2 Weight** | 26.000 g |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Unit Type of Package 3** | CAR |
| **Number of Units in Package 3** | 80 |
| **Package 3 Height** | 20.000 cm |
| **Package 3 Width** | 20.000 cm |
| **Package 3 Length** | 30.000 cm |
| **Package 3 Weight** | 670.000 g |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Environmental Disclosure | Product Environmental Profile |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| SCIP Number | 73e923a6-870d-4d0d-9a27-5e8c9bbeb14d |
| EU RoHS Directive | Compliant By Exemption |
| REACh Regulation | Reference contains Substances of Very High Concern above the threshold |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |