Product data sheet

Specifications



Membrane for cable entrance FL21 with 12 entrances IP65

NSYTSAKFL

Main

Range	PanelSeT
Product or component type	Cable entry membrane
Accessory / separate part category	Cable management accessory
Device application	Multi-purpose
Range compatibility	PanelSeT S3D compact enclosure PanelSeT S3CM control enclosure
Device composition	1 membrane
Quantity per set	Set of 1

Complementary

Mounting support	Cable gland plate Body of enclosure
Material	PC (polycarbonate) reinforced with fibreglass
Fixing mode	Clipped By screws
Total cable entry number	12
Cable entry number	4 x 12 mm 4 x 12…20 mm 4 x 16…25 mm
Height	10 mm
Width	215 mm
Depth	85 mm
Colour	Light grey (RAL 7035)
Net weight	0.15 kg

Environment

IP degree of protection	IP65 conforming to IEC 60529
Flame retardance	V1 conforming to UL 94
Ambient air temperature for operation	-40…80 °C
Fire resistance	750 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	22.500 cm
Package 1 Width	8.500 cm
Package 1 Length	2.000 cm
Package 1 Weight	180.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	25
Package 2 Height	20.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.768 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	350
Package 3 Height	50.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	87.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	Yes

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No