Product data sheet

Specifications



ClimaSys forced vent. roof, 570m3/h, 115V, with roof outlet grille and filter G2

NSYCVF570M115MF

Main

Range	ClimaSys
Product name	ClimaSys CV
Product or component type	Top hood with fan
Type of filter	G2
Flow rate	With outlet grille cut-out 291 x 291 mm: 350 m3/h Free flow rate: 570 m3/h at 50 Hz
Input voltage	115 V 50/60 Hz

Complementary

Absorbed power	85 W
Noise level < at	64 dB
Height	External: 96 mm
Width	External: 340 mm
Depth	External : 340 mm
Cut-out dimensions	228 x 228 mm
Material	Hood: steel
Colour	Hood: grey (RAL 7035)
IP degree of protection	IP54
Device composition	1 hood: top of enclosure 1 fan 1 fixing elements

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.000 cm
Package 1 Width	34.500 cm
Package 1 Length	35.000 cm
Package 1 Weight	6.156 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	60
Package 2 Height	104.000 cm
Package 2 Width	100.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	120.000 cm
Package 2 Weight	382.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**5 178 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**40 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**12 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.7 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**5 116 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**9 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**61d9d3f3-5a49-48f8-8056-1a5ad0ad4c76**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Recyclability potential, in %	**64**
End of life manual availability	**End of Life Information**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**