Product data sheet

Specifications



Hinged plain cover plate;PanelSeT SFN;PanelSeT SF;PanelSeT SM;for electrical enclosure W600mm steel;H450mm

NSYMPCH456

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Cover plate
Anwendung	Multi-purpose
Range compatibility	PanelSeT SF SF PanelSeT SM
Nominal dimensions of the housing	- H: 450 mm W: 600 mm
Mounting location	On chassis coupling set
Device composition	fixing elements 1 cover plate hinges
Quantity per set	Set of 1

Complementary

Material	Steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Fixing mode	By screws
Type of front plate	Hinged plain
Height	Nominal: 450 mm Real: 449.5 mm
Width	Nominal: 600 mm Fixing centers: 478 mm Real: 502 mm
Depth	Real : 12 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	45.500 cm
Package 1 Length	50.500 cm
Package 1 Weight	3.914 kg
Unit Type of Package 2	P12
Number of Units in Package 2	100

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	80.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	404.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No