Product data sheet

Specifications



Symmetrical DIN rail, H35xD7.5 mm Length: 140 mm, for boxes of 150 mm (Internal)

NSYAMRD16357TB

Main

Range	PanelSeT
Accessory / separate part category	Installation accessory
Product or component type	Rail
Device application	Multi-purpose
For enclosure nominal dimensions	-
quantity per package	Set of 10

Complementary

Type of rail	Symmetrical DIN
Range compatibility	PanelSeT PanelSeT TBS
Device composition	1 rail
Material	Steel
Surface finish	Zinc coated
Length	Real: 140 mm Internal box height or width: 150 mm
Height	35 mm
Width	7.5 mm
thickness	1 mm
Net weight	0.048 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.800 cm
Package 1 Width	4.000 cm
Package 1 Length	14.500 cm
Package 1 Weight	49.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.500 cm
Package 2 Width	9.000 cm
Package 2 Length	15.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	496.000 g
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	20.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.960 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	Yes

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No