Product data sheet

Specifications



One asymmetric mounting rail perforated 32x15 L2000mm, Order by Multiples of 10 units

NSYADR200D

Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or component type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Asymmetrical DIN rail
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per set	Set of 10

Complementary

Material	Galvanised steel
Surface finish	Perforated
Fixing mode	By fixing element - structure of enclosure location
Adjustment	Continuous adjustment Pitch 25 mm
Length	2000 mm
Height	Nominal: 15 mm
Width	Nominal: 32 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	3.300 cm
Package 1 Length	200.000 cm
Package 1 Weight	1.260 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	3.500 cm
Package 2 Width	8.500 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	205.000 cm
Package 2 Weight	13.476 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	200
Package 3 Height	50.000 cm
Package 3 Width	120.000 cm
Package 3 Length	205.000 cm
Package 3 Weight	285.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
PVC free	Yes
Silicone-free	Yes

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No