
Product data sheet

Specifications



Insulating mounting plate, thickness 3 mm, For boxes of H325WL275 mm

NSYAMPA3429TB

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Mounting plate
Device application	Multi-purpose
Enclosure nominal dimensions	-
Mounting location	Back studs
Mounting plate description	Insulating
Range compatibility	PanelSeT TBS TBS PanelSeT TBP PanelSeT TBP
Device composition	1 mounting plate
Material	Polyester
Colour	Grey

Complementary

Fixing mode	By screws - screw type M4 self tapping - on back studs location
Height	Nominal: 341 mm Real: 265 mm
Width	Real: 315 mm Nominal: 291 mm
thickness	3 mm
Net weight	0.34 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.500 cm
Package 1 Width	26.500 cm
Package 1 Length	31.500 cm
Package 1 Weight	491.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Height	20.000 cm
Package 2 Width	30.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	40.000 cm
Package 2 Weight	14.730 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	300
Package 3 Height	100.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	160.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No