# Product data sheet

Specifications



## Plain mounting plate H400xW500mm made of galvanised sheet steel

NSYMM45SB

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Accessory / separate part category** | Mounting accessory |
| **Product or component type** | Mounting plate |
| **Device application** | Multi-purpose |
| **Enclosure nominal dimensions** | - |
| **Mounting location** | Bottom of enclosure |
| **Mounting plate description** | Plain |
| **Range compatibility** | PanelSeT SBM SBM |
| **Device composition** | 1 mounting plate |
| **Material** | Galvanised steel |
| **Surface finish** | Metallic |

## Complementary

| | |
|---|---|
| **Fixing mode** | By 2 screws - screw type Ø5 mm self-tapping screws - bottom of enclosure location |
| **Permanent permissible load** | 10 kg back of the enclosure |
| **Height** | Nominal: 375 mm |
| **Width** | Nominal: 485 mm<br>Fixing centers: 485 mm |
| **Surface and useful surface** | Nominal: 200000 mm² |
| **thickness** | 2 mm |
| **Net weight** | 2.816 kg |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 0.300 cm |
| **Package 1 Width** | 38.000 cm |
| **Package 1 Length** | 49.000 cm |
| **Package 1 Weight** | 2.816 kg |
| **Unit Type of Package 2** | PAM |
| **Number of Units in Package 2** | 150 |
| **Package 2 Height** | 45.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 2 Width** | 100.000 cm |
| **Package 2 Length** | 120.000 cm |
| **Package 2 Weight** | 436.000 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **29 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **15 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **6 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0.1 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **8 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **98** |
| End of life manual availability | **No need of specific recycling operations** |
| Take-back | **No** |