# Product data sheet

Specifications



## Quick fixing cross rails, PanelSeT SFN, PanelSeT SF, PanelSeT SM, H65 W500mm, 2 rows, set of 2

NSYSQCR6550

## Main

| | |
|---|---|
| **Range** | PanelSeT |
| **Accessory / separate part category** | Mounting accessory |
| **Product or component type** | Quick cross rails |
| **Application** | Multi-purpose |
| **Nominal dimensions of the housing** | - |

## Complementary

| | |
|---|---|
| **Range compatibility** | PanelSeT PanelSeT SF<br>PanelSeT PanelSeT SM<br>PanelSeT PanelSeT SFX<br>PanelSeT PanelSeT SMX |
| **Mounting location** | Between cross rails<br>On structure of enclosure |
| **Mounting support** | Adaptation profile, on SM enclosures |
| **Device composition** | fixing elements<br>2 cross rails |
| **Quantity per set** | Set of 1 |
| **Material** | Steel |
| **Surface finish** | Galvanized |
| **Fixing mode** | By screws<br>Clipped - on structure location |
| **Adjustment** | Adjustable with a pitch of 25 mm |
| **Number of horizontal rows** | 2 |
| **Maximum load** | 90 kg |
| **Height** | Nominal: 500 mm<br>Useful: 410 mm |
| **Width** | 65 mm |
| **Depth** | 27 mm |
| **thickness** | 1.5 mm |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 6.000 cm |
| **Package 1 Width** | 7.000 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|---|---|
| **Package 1 Length** | 46.500 cm |
| **Package 1 Weight** | 1.068 kg |
| **Unit Type of Package 2** | PAM |
| **Number of Units in Package 2** | 288 |
| **Package 2 Height** | 81.000 cm |
| **Package 2 Width** | 100.000 cm |
| **Package 2 Length** | 120.000 cm |
| **Package 2 Weight** | 339.000 kg |

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **8 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **5 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **0.2 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **0.2 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **0 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **3 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant** |
| REACh Regulation | **Free of Substances of Very High Concern above the threshold** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **98** |
| End of life manual availability | **No need of specific recycling operations** |
| Take-back | **No** |

Image of product / Alternate images

**Alternative**

