Product data sheet

Specifications

Schneider Electric NSYSUCR4090

Image

Universal cross rails, PanelSeT SFN, PanelSeT SF, PanelSeT SM, H40 W900mm, 1 row, set of 2

NSYSUCR4090

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Universal cross rail
Application	Multi-purpose
Nominal dimensions of the housing	- H: 900 mm

Complementary

Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM PanelSeT PanelSeT SFX PanelSeT PanelSeT SMX
Mounting location	Between cross rails
Mounting support	Adaptation profile, on SM enclosures
Device composition	fixing elements 2 cross rails 4 supports
Quantity per set	Set of 1
Material	Steel
Surface finish	Galvanized
Fixing mode	By screws
Adjustment	Adjustable with a pitch of 25 mm
Number of horizontal rows	1
Maximum load	40 kg
Height	Nominal: 900 mm Useful: 807 mm
Width	40 mm
Depth	27 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	6.000 cm
Package 1 Length	81.500 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	1.632 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	10
Package 2 Height	29.000 cm
Package 2 Width	37.500 cm
Package 2 Length	120.000 cm
Package 2 Weight	16.320 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**12 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**7 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.3 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.4 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**4 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product in real life situation

