Product data sheet

Specifications



Universal cross rails, PanelSeT SFN, PanelSeT SF, PanelSeT SM, H90 W700mm, 3 rows, set of 2

NSYSUCR9070

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	Universal cross rail
Application	Multi-purpose
Nominal dimensions of the housing	- H: 700 mm

Complementary

Range compatibility	PanelSeT PanelSeT SF PanelSeT PanelSeT SM PanelSeT PanelSeT SFX PanelSeT PanelSeT SMX
Mounting location	Between cross rails
Mounting support	Adaptation profile, on SM enclosures
Device composition	fixing elements 2 cross rails 4 supports
Quantity per set	Set of 1
Material	Steel
Surface finish	Galvanized
Fixing mode	By screws
Adjustment	Adjustable with a pitch of 25 mm
Number of horizontal rows	3
Maximum load	110 kg
Height	Nominal: 700 mm Useful: 607 mm
Width	90 mm
Depth	27 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.000 cm
Package 1 Width	10.000 cm
Package 1 Length	61.500 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	1.906 kg
Unit Type of Package 2	P12
Number of Units in Package 2	100
Package 2 Height	100.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	204.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**14 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**8 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0.4 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0.4 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**4 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Again

Repack and remanufacture

Recyclability potential, in %	**98**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product in real life situation

