
Product data sheet

Specifications



Integrated cross rails, PanelSeT SFN, PanelSeT SF, H90 W600mm, set of 2

NSYSICR9060

Main

Range	PanelSeT
Product specific application	30 mm additional space on each fixation side (a total of 60 mm)
Accessory / separate part category	Mounting accessory
Product or component type	Cross rail
Application	Multi-purpose
Nominal dimensions of the housing	-

Complementary

Range compatibility	PanelSeT PanelSeT SF suitable enclosure PanelSeT PanelSeT SM compact enclosure
Mounting location	On structure of enclosure
Mounting support	Upright
Device composition	fixing elements 2 cross rails
Quantity per set	Set of 1
Material	Galvanised steel
Fixing mode	By screws
Adjustment	Adjustable with a pitch of 25 mm
Number of horizontal rows	3
Maximum load	110 kg
Height	90 mm
Width	Nominal: 600 mm Useful: 509 mm
Depth	12 mm
thickness	1.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.000 cm
Package 1 Width	10.000 cm
Package 1 Length	53.000 cm
Package 1 Weight	1.290 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	P12
Number of Units in Package 2	200
Package 2 Height	90.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	283.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**

Use Again

Repack and remanufacture

Take-back	**No**