Product data sheet

Specifications



19" swing chassis 16U PanelSeT

NSYVDM16UP

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	19" rack
Application	Multi-purpose Electronic application
For enclosure nominal dimensions	- H: 800 mm W: 600 mm D: 200 mm - H: 800 mm W: 600 mm D: 250 mm - H: 800 mm W: 600 mm D: 300 mm - H: 800 mm W: 600 mm D: 400 mm
Rack type	Swing
Mounting location	Front of enclosure
Range compatibility	PanelSeT PanelSeT S3D PanelSeT PanelSeT S3X PanelSeT PanelSeT VDM PanelSeT PanelSeT CRN PanelSeT PanelSeT CRNG
Device composition	fixing elements 1 19" swing chassis 2 lock
Number of units 19"	16

Complementary

Material	Chassis: steel
Enclosure/cubicle description	Wall-mounted enclosure
Surface finish	Epoxy-polyester powder
Lock type	Lock with 3 mm double bar insert
fixing mode	By fixing element
Colour	Grey (RAL 7035)
Permanent permissible load	3 kg per unit
Opening of the 19" racks	Reversible 120 °
Height	Nominal: 800 mm
Width	Nominal: 600 mm
Depth	130 mm
Net weight	6.44 kg

Packing Units

Unit Type of Package 1	PCE

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 1	1
Package 1 Height	13.000 cm
Package 1 Width	62.000 cm
Package 1 Length	76.000 cm
Package 1 Weight	6.440 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	16
Package 2 Height	117.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	116.000 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**61 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**31 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**13 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**1 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**15 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
SCIP Number	**E893f0a0-d2cc-4011-9425-3873dde70142**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

End of life manual availability	**No need of specific recycling operations**
Take-back	**No**