Product data sheet

Specifications



Control window with aluminum frame and 3 mm acrylic window 400 x 500 mm

NSYCW45

Main

Range	PanelSeT
Accessory / separate part category	Installation accessory
Product or component type	Window
For enclosure nominal dimensions	-
Range compatibility	PanelSeT S3D PanelSeT CRN
Mounting location	Installation on door or panel
Device composition	2 hinge 1 lock 1 fixings and drilling template 1 frame with window
Material	Transparent acrylic aluminium
Lock type	Closure by lock
Number of locks	1
Key number	2233X

Complementary

Height	400 mm
Width	500 mm
Depth	77 mm
Type of installation	Indoor installation

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	56.500 cm
Package 1 Width	43.500 cm
Package 1 Length	12.000 cm
Package 1 Weight	4.070 kg
Unit Type of Package 2	P12
Number of Units in Package 2	20
Package 2 Height	106.000 cm
Package 2 Width	80.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	120.000 cm
Package 2 Weight	93.400 kg

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	86c971db-94b7-45f1-bdf1-8c503ea9309d
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No