Product data sheet

Specifications



Altira - HD15 female socket outlet - 1 module - white

ALB44370

Discontinued on: Jul 14, 2021

Discontinued

Main

Range	Altira
Product or component type	Female connector
Connector type	HD15 VGA
Device presentation	Mechanism
fixing mode	Clip-in
Quantity per set	Set of 10
Sale per indivisible quantity	1

Complementary

Device mounting	Flush
Socket number	1
Number of modules	1 module 22.5 x 45 mm
Colour tint	White (RAL 9003)
Surface finish	Glossy
surface treatment	Untreated
Ambient air temperature for storage	-10…50 °C
Ambient air temperature for operation	-5…40 °C
Material	Thermoplastic ABS-UV stabilised: centre plate PC (polycarbonate) GF10 FR: casing
Height	45 mm
Width	22.5 mm
Depth	24.5 mm
Embedding depth	15.9 mm
Net weight	0.0145 kg
Standards	JIS G 3141 JIS H 3100 IEC 512-7 UL 94 IEC 512-3

Environment

IP degree of protection	IP41
IK degree of protection	IK04

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental characteristic	Alcohol UV resistant Liquid soap Hydrogen peroxide (H2O2) Window-cleaning fluid Petrol Acetone Oil Bleach

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3 cm
Package 1 Width	5 cm
Package 1 Length	22.5 cm
Package 1 Weight	59 g

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Again

Repack and remanufacture

WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins