Tempo

VE787500



Digital hourly (daily or weekly) or astronomical switch, 230 Vac, flush-mounted, 2-module, 1 relay.

General features

- Backlit display showing date, time, and relay status
- For installation on 2-module flush-mounted boxes with 45 mm high
- Terminal block on the back of the device for connecting load and power supply
- Programs: ON, OFF, pulse (1–59 seconds), holiday, night (astronomical)
- Random output switching function
- Manual relay override (temporary or permanent)
- Automatic daylight saving time update
- Sunrise and sunset time correction: ± 120 minutes
- Keypad lock function with password to prevent modifications by unauthorised people
- Menu in 5 languages: Italian, English, Spanish, German, French
- White and anthracite grey front panels included in the package
- Adapters included to adapt the instrument to the cover frames of the major residential series

Technical specifications

Power supply	
Power supply	230 Vac (-10% ÷ +10%)
Frequency	50 / 60 Hz
Absorption	8 (2) VA (W)
Power reserve	72 hours
Parameter settings	
Programming	Hourly (Daily / Weekly) or Astronomical
Programming resolution	1 minute
Number of storable programmes (events)	120
Functions	
Automatic daylight saving/standard time changeover	✓
Keypad lock function	✓
Operating conditions	
Operating temperature range	0 ÷ 50 °C
Storage temperature range	-25 ÷ 70 °C

Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.

Revision date: 2026-02-02

Tempo

VE787500

Outputs	
Relay number	1
Relay type	Normally open
Relay capacity at 250 Vac	5 A
Mechanical features	
Protection degree	IP40
Physical features	
Device command	Keys
Backlighting	✓
Backlight color	Blue
Overall dimensions	
Height (A)	40 mm
Width (B)	40 mm
Depth (C)	42 mm

Dimensions

Front View



Side View



Wiring diagram



Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.

Model variants

TEMPO-INT

Flush-mount digital electronic switch (2 modules) with hourly (daily/weekly) or astronomical programming.

TEMPO.NOW

Flush-mount digital electronic switch (2 modules) with hourly (daily/weekly) or astronomical programming.

Compatible cover frames

ABB
ABB Mylos series

Ave
Ave S44 series

Bticino
Bticino Axolute series

Bticino
Bticino Axolute Air series

Bticino
Bticino Light series

Bticino
Bticino Living International series

Bticino
Bticino LivingLight series (LL)

Bticino
Bticino Livinglight Air series

Bticino
Bticino MatixGO series*

Gewiss
Gewiss Chorus series

Vimar
Vimar Arké series

Vimar
Vimar Eikon series

Vimar
Vimar Eikon Evo series

Vimar
Vimar Plana series

* via accessory not included in the package, which can be purchased separately (see dedicated section)
For information on whether different cover frames can be used, contact the technical service department

Accessories compatible with the product

NOW.KIT Bianco

VE793500

BTicino Living Now® kit for 2-module devices. White colour

NOW.KIT 3 colori

VE793400

BTicino Living Now® kit for 2-module devices. Colours white, black and sand

NOW.KIT Nero

VE793600

BTicino Living Now® kit for 2-module devices. Black colour

NOW.KIT Sabbia

VE793700

BTicino Living Now® kit for 2-module devices. Sand colour

Adattatore.Matix Go® 2M

VE800000

Adapter for the BTicino Matix Go® cover cover frame for 2-module products

Reference standards

Compliance with Community Directives:

• 2014/35/UE (LVD) • 2014/30/UE (EMCD) • 2011/65/UE e 2015/863/UE (ROHS)

is declared with reference to the following Standards:

• EN IEC 60730-2-7 • EN IEC 63000

Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.