Orion

VE771300



2-module 230 Vac flush-mounted emergency lamp, automatically switches on during a blackout to illuminate the rooms in which it is installed. The lamp switches on in case of sudden blackout thanks to the built-in rechargeable batteries. Can be extracted in push-push mode and used as a portable emergency lamp Lamp extraction can be limited by a locking slide on the rear of the device.

General features

- For installation on 2-module flush-mounted boxes with 45 mm high
- Terminal block on the back of the device for power connection
- Red LED for low battery indication
- Guaranteed light source: 1 white LED
- Locking system on rear housing to prevent tampering in public environments. Slide the lock to the left to prevent lamp removal (LOCK), or to the right to allow it (UNLOCK).
- Adapters included to adapt the instrument to the cover frames of the major residential series

Technical specifications

Power supply	
Power supply	230 Vac (-15% ÷ +10%)
Frequency	50 / 60 Hz
Absorption	3 (0.2) VA (W)
Buffer battery type	NiMH battery 3.6 V, 140 mAh (Rechargeable – NOT replaceable)
Full charge time of backup batteries	48 h
Battery autonomy	2 h
Functional characteristics	
Light Intensity	20 lm
Operating conditions	
Operating temperature range	0 ÷ 50 °C
Relative humidity	20% ÷ 90% non-condensing RH
Storage temperature range	-10 ÷ 50 °C
Terminations	
Maximum cable cross-section	1.5 mm²
Mechanical features	
Protection degree	IP40
Physical features	
Color	Opal white

Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.

Overall dimensions	
Height (A)	44 mm
Width (B)	43 mm
Depth (C)	39 mm

Dimensions

Front View



Side View



Wiring diagram



Model variants

ORION-INT

2-module flush-mounted removable emergency lamp.

Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.

Compatible cover frames

ABB
ABB Mylos series

Ave
Ave S44 series

Bticino
Bticino Axolute series

Bticino
Bticino Axolute Air series

Bticino
Bticino Light series

Bticino
Bticino Living International series

Bticino
Bticino Living Now series*

Bticino
Bticino Livinglight series

Bticino
Bticino Livinglight Air series

Bticino
Bticino Matix series

Bticino
Bticino MatixGO series*

Gewiss
Gewiss Chorus series

Vimar
Vimar Arké series

Vimar
Vimar Eikon series

Vimar
Vimar Eikon Evo series

Vimar
Vimar Plana series

* via accessory not included in the package, which can be purchased separately (see dedicated section)
For information on whether different cover frames can be used, contact the technical service department

Accessories compatible with the product

NOW.KIT 3 colori
VE793400
BTicino Living Now® kit for 2-module devices. Colours white, black and sand

NOW.KIT Bianco
VE793500
BTicino Living Now® kit for 2-module devices. White colour

NOW.KIT Nero
VE793600
BTicino Living Now® kit for 2-module devices. Black colour

NOW.KIT Sabbia
VE793700
BTicino Living Now® kit for 2-module devices. Sand colour

Adattatore.Matix Go® 2M
VE800000
Adapter for the BTicino Matix Go® cover cover frame for 2-module products

Reference standards

Compliance with Community Directives:

• 2014/35/UE (LVD) • 2014/30/UE (EMCD) • 2011/65/UE e 2015/863/UE (ROHS)

is declared with reference to the following Standards:

• EN IEC 60598-1 • EN IEC 60598-2-2 • EN IEC 61000-6-1 • EN IEC 61000-6-3 • EN IEC 63000

Vemer S.p.A. declines all responsibility for the use of the products for purposes other than those for which they are intended, as indicated in the technical documentation. Vemer S.p.A. reserves the right to make, without prior notice, such changes as may, in its sole discretion, improve the technical and functional characteristics of the products and the related production logic. The technical characteristics and images of the products indicated are given for information only and are not binding in any way, since they may be modified without prior notice.